

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

- **1.1 Product identifier**
- **Trade name:** OTTOCOLL M 550 HiTack / Aqua-Step Hybrid Polymer Adhesive white - bucket 5kg
- **Application of the substance / the mixture** Sealant/ Adhesive
- **Uses advised against** Product is not suitable for spray applications.
- **1.3 Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**  
Hermann Otto GmbH  
Krankenhausstraße 14  
D-83413 Fridolfing  
Tel.: 0049/(0)8684/908-0  
Fax.: 0049/(0)8684/908-1840
- **Further information obtainable from:**  
Tel.: 0049- (0)8684- 908- 2363 ( -4300 )  
E-Mail: alois.parzinger@otto-chemie.de
- **1.4 Emergency telephone number:**  
Tel.: 0049- (0) 89- 192 40 (emergency telephone no.)  
+44 1865 407333 (Carechem 24)

## SECTION 2: Hazards identification

- **2.1 Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**  
The product is not classified, according to the CLP regulation.
- **2.2 Label elements**
- **Labelling according to Regulation (EC) No 1272/2008** Void
- **Hazard pictograms** Void
- **Signal word** Void
- **Hazard statements** Void
- **Additional information:**  
Ensure good ventilation during application and curing.  
Contains trimethoxyvinylsilane, N-(3-(trimethoxysilyl)propyl)ethylenediamine. May produce an allergic reaction.  
Safety data sheet available on request.
- **2.3 Other hazards**  
During the application and curing process of the material chemicals are released as vapour (see item 11). Therefore ensure good ventilation or exhaustion if necessary.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

## SECTION 3: Composition/information on ingredients

- **3.2 Chemical characterisation: Mixtures**
  - **Description:** Adhesive and sealant based on silane-terminated polymers (hybrid)
  - **Dangerous components:**
- |                                |  |            |
|--------------------------------|--|------------|
| CAS: 2768-02-7                 | trimethoxyvinylsilane                            | ≥0.1-<2.5% |
| EINECS: 220-449-8              | ⚠ Flam. Liq. 3, H226; ⚠ Acute Tox. 4, H332; Skin |            |
| Reg.nr.: 01-2119513215-52-xxxx | Sens. 1B, H317                                   |            |
- **Additional information** For the wording of the listed hazard phrases refer to section 16.

**Trade name: OTTOCOLL M 550 HiTack / Aqua-Step Hybrid Polymer Adhesive white - bucket 5kg**

(Contd. of page 1)

### SECTION 4: First aid measures

- **4.1 Description of first aid measures**
- **After inhalation**  
Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.
- **After skin contact**  
Immediately wash with water and soap and rinse thoroughly.  
If skin irritation continues, consult a doctor.
- **After eye contact**  
Rinse opened eye for several minutes under running water. Then consult a doctor.
- **After swallowing**  
Do not induce vomiting; call for medical help immediately. Show container or label.

### SECTION 5: Firefighting measures

- **5.1 Extinguishing media**
- **Suitable extinguishing agents**  
CO<sub>2</sub>, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **5.2 Special hazards arising from the substance or mixture**  
Formation of toxic gases is possible during heating or in case of fire.
- **5.3 Advice for firefighters**
- **Protective equipment:**  
Mount respiratory protective device.  
Do not inhale explosion gases or combustion gases.

### SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures**  
Ensure adequate ventilation
- **6.2 Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- **6.3 Methods and material for containment and cleaning up:**  
Dispose contaminated material as waste according to item 13.
- **6.4 Reference to other sections** See Section 8 for information on personal protection equipment.

### SECTION 7: Handling and storage

- **7.1 Precautions for safe handling**  
Ensure good ventilation/exhaustion at the workplace.  
see item 8: Personal protective equipment
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage**
- **Requirements to be met by storerooms and receptacles:** Prevent any seepage into the ground.
- **Information about storage in one common storage facility:** Store away from foodstuffs.
- **Further information about storage conditions:**  
Store in cool, dry conditions in well sealed receptacles.  
Protect from heat and direct sunlight.

### SECTION 8: Exposure controls/personal protection

- **8.1 Control parameters**
- **Additional information about design of technical facilities:** No further data; see item 7.

(Contd. on page 3)

**Trade name: OTTOCOLL M 550 HiTack / Aqua-Step Hybrid Polymer Adhesive white - bucket 5kg**

(Contd. of page 2)

- **Ingredients with limit values that require monitoring at the workplace:**
- **Additional Occupational Exposure Limit Values for possible hazards during processing:**
- 67-56-1 methanol**
- WEL Short-term value: 333 mg/m<sup>3</sup>, 250 ppm
- Long-term value: 266 mg/m<sup>3</sup>, 200 ppm
- Sk
- **Additional information:** The lists valid during the making were used as basis.
- **8.2 Exposure controls**
- **Personal protective equipment**
- **General protective and hygienic measures**
- The usual precautionary measures are to be adhered to when handling chemicals.
- Wash hands before breaks and at the end of work.
- Avoid contact with the eyes and skin.
- **Respiratory protection:**
- This product should not be used under conditions of poor ventilation unless a protective mask with an appropriate gas filter (i.e.type ABEK according to standard EN 14387) is used.
- **Protection of hands:** Protective gloves.
- **Material of gloves**
- The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.
- Recommended glove types: nitrile rubber
- Recommended thickness of the material: >0,4 mm
- **Penetration time of glove material** Breakthrough time: 10 - 30 min
- **Eye protection:** Safety glasses
- **Body protection:** Protective work clothing.

## SECTION 9: Physical and chemical properties

- **9.1 Information on basic physical and chemical properties**
- **General Information**
- **Appearance:**
- Form:** pasty
- Colour:** According to product specification
- **Odour:** Characteristic
- **Odour threshold:** Not determined.
- **pH-value:** Not applicable.
- **Change in condition**
- Melting point/freezing point:** undetermined
- Initial boiling point and boiling range:** undetermined
- **Flash point:** Not applicable
- **Decomposition temperature:** Not determined.
- **Auto-ignition temperature:** Not determined.
- **Explosive properties:** Product is not explosive. However, formation of explosive air/vapour mixtures are possible.
- **Explosion limits:**
- Lower:** not applicable
- Upper:** not applicable
- **Oxidising properties:** Not determined.
- **Vapour pressure:** Not applicable.
- **Density:** see technical datasheet
- **Vapour density:** Not applicable.
- **Evaporation rate:** Not determined.

(Contd. on page 4)

**Trade name: OTTOCOLL M 550 HiTack / Aqua-Step Hybrid Polymer Adhesive white - bucket 5kg**

(Contd. of page 3)

- **Solubility in / Miscibility with Water:** Not miscible or difficult to mix
- **Partition coefficient: n-octanol/water:** Not determined.
- **Viscosity:** Not determined.

## SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:**  
No decomposition if used according to specifications.  
Avoid strong heating.
- **10.6 Hazardous decomposition products:** see item 5.2

## SECTION 11: Toxicological information

- **11.1 Information on toxicological effects**
  - **Acute toxicity** Based on available data, the classification criteria are not met.
  - **LD/LC50 values relevant for classification:**
- 
- 2768-02-7 trimethoxyvinylsilane**
- |            |          |                   |
|------------|----------|-------------------|
| Oral       | LD50     | 7,100 mg/kg (rat) |
| Dermal     | LD50     | 3,200 mg/kg (rab) |
| Inhalative | LC50/4 h | 16.8 mg/l (rat)   |
- **Primary irritant effect:**
  - **Skin corrosion/irritation** Based on available data, the classification criteria are not met.
  - **Serious eye damage/irritation** Based on available data, the classification criteria are not met.
  - **Respiratory or skin sensitisation**  
dermal: not sensitizing  
Source: test report OECD 406
  - **Other information (about experimental toxicology):**  
Product hydrolyses under formation of methanol (CAS no. 67-56-1). Methanol is toxic by inhalation, in contact with skin and if swallowed. Methanol causes damage to organs. Methanol is highly flammable. Inhalation of aerosol spray may damage health.
  - **Additional toxicological information:**
  - **Repeated dose toxicity**
  - **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
  - **Carcinogenicity** Based on available data, the classification criteria are not met.
  - **Reproductive toxicity** Based on available data, the classification criteria are not met.
  - **STOT-single exposure** Based on available data, the classification criteria are not met.
  - **STOT-repeated exposure** Based on available data, the classification criteria are not met.
  - **Aspiration hazard** Based on available data, the classification criteria are not met.

## SECTION 12: Ecological information

- **12.2 Persistence and degradability**
- **Other information:** Product is not biodegradable.
- **12.4 Mobility in soil**
- **Additional ecological information:**
- **General notes:**  
Do not allow product to reach ground water, water course or sewage system.  
Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water.
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable.

(Contd. on page 5)

**Trade name: OTTOCOLL M 550 HiTack / Aqua-Step Hybrid Polymer Adhesive white - bucket 5kg**

(Contd. of page 4)

· **vPvB:** Not applicable.

### SECTION 13: Disposal considerations

#### · 13.1 Waste treatment methods

##### · Recommendation

Observe local by-laws.

Already cured material can be disposed of with the domestic or commercial waste. Unconsumed material (fluid, paste-like) is to dispose of as hazardous waste.

##### · Uncleaned packaging:

##### · Recommendation:

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.

Packagings that may not be cleansed are to be disposed of in the same manner as the product.

### SECTION 14: Transport information

#### · 14.1 UN-Number

##### · ADR, IMDG, IATA

Void

#### · 14.2 UN proper shipping name

##### · ADR, ADN, IMDG, IATA

Void

#### · 14.3 Transport hazard class(es)

##### · ADR, ADN, IMDG, IATA

##### · Class

Void

#### · 14.4 Packing group

##### · ADR, IMDG, IATA

Void

#### · 14.5 Environmental hazards:

Not applicable.

#### · 14.6 Special precautions for user

Not applicable.

#### · 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable.

#### · Transport/Additional information:

Not dangerous according to the above specifications.

#### · UN "Model Regulation":

Void

### SECTION 15: Regulatory information

#### · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

##### · Directive 2012/18/EU

· **Named dangerous substances - ANNEX I** None of the ingredients is listed.

##### · National regulations

· **Waterhazard class:** Water hazard class 1 (Self-assessment): slightly hazardous for water.

##### · Details of international registration status:

Listed on or in accordance with the following inventories:

DSL - Canada listed

IECSC - China not listed

PICCS - Philippines not listed

TCSI - Taiwan not listed

TSCA - USA listed

AICS - Australia listed

ENCS - Japan listed

ECL - Korea listed

NZIoC - New Zealand listed

(Contd. on page 6)

**Trade name: OTTOCOLL M 550 HiTack / Aqua-Step Hybrid Polymer Adhesive white - bucket 5kg**

(Contd. of page 5)

REACH - Europe listed

 · **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

## SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

### · Relevant phrases

H226 Flammable liquid and vapour.

H317 May cause an allergic skin reaction.

H332 Harmful if inhaled.

 · **Department issuing SDS:** Tel.: 0049- (0)8684- 908- 2363

 · **Contact:** Tel.: 0049- (0)8684- 908- 2363 ( -4300 )

### · Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Flam. Liq. 3: Flammable liquids – Category 3

Acute Tox. 4: Acute toxicity – Category 4

Skin Sens. 1B: Skin sensitisation – Category 1B

 · **\* Data compared to the previous version altered.**